



# Data Management Program

LookinBody Web allows you to view InBody data through cloud, and provides an analytical dashboard by the branches, or staff.



## InBody Integration Solution



# InBody

See what you're made of

## The power of InBody

InBody maintains a high brand position with the highest level of technology.



## Certifications obtained by InBody

InBody complies with the quality management system according to international standards. We satisfy country-specific regulatory requirements that apply to product safety and performance, and provide related services.



## InBody's Intellectual Property Rights

InBody owns patents and intellectual property rights around the world and provides products with high accuracy and reproducibility based on this technology.



### InBody HQ [KOREA]

InBody Co., Ltd.  
625, InBody Bldg., Eonju-ro,  
Gangnam-gu, Seoul 06106  
Republic of Korea  
TEL: +82-2-501-3939 FAX: +82-2-578-5669  
Website: <https://inbody.com>  
E-mail: [info@inbody.com](mailto:info@inbody.com)

### InBody Asia [ASIA]

InBody Asia Sdn. Bhd.  
Unit 3A-11, Oval Damansara, 685 Jalan  
Damansara Kuala Lumpur, WP KL 60000  
Malaysia  
TEL: +60-3-7732-0790 FAX: +60-3-7733-0790  
Website: <https://inbodyasia.com>  
E-mail: [info@inbodyasia.com](mailto:info@inbodyasia.com)

### InBody USA [USA]

Biospace Inc. dba InBody  
13850 Cerritos Corporate Dr. Unit C Cerritos,  
CA 90703  
USA  
TEL: +1-323-932-6503 FAX: +1-323-952-5009  
Website: <https://inbodyusa.com>  
E-mail: [info.us@inbody.com](mailto:info.us@inbody.com)

### InBody Europe [EU]

InBody Europe B.V.  
Gyroscoopweg 122, 1042 AZ,  
Amsterdam,  
The Netherlands  
TEL: +31-20-238-6080 FAX: +31-6-5734-1858  
Website: <https://nl.inbody.com>  
E-mail: [info.eu@inbody.com](mailto:info.eu@inbody.com)

### InBody Japan [JAPAN]

InBody Japan Inc.  
Tani Bldg., 1-28-6, Kameido, Koto-ku,  
Tokyo 136-0071  
Japan  
TEL: +81-3-5875-5780 FAX: +81-3-5875-5781  
Website: <https://www.inbody.co.jp>  
E-mail: [inbody@inbody.co.jp](mailto:inbody@inbody.co.jp)

### InBody India [INDIA]

InBody India Pvt.Ltd.  
Unit No. G-B 10, Ground Floor, Art Guild House, Phoenix  
Market City, L.B.S. Marg, Kurla (West), Mumbai 400070  
India  
TEL: +91-22-6223-1911  
Website: <http://inbody.in>  
E-mail: [india@inbody.com](mailto:india@inbody.com)

### InBody China [CHINA]

Biospace China Co., Ltd.  
904, XingDiPlaza, No.1698 YiShanRoad,  
Shanghai 201103  
China  
TEL: +86-21-6443-9705 FAX: +86-21-6443-9706  
Website: <https://inbodychina.com>  
E-mail: [info@inbodychina.com](mailto:info@inbodychina.com)

A New Standard of Innovation

# InBody 970



## A New Standard of Innovation

InBody is continuously evolving the way body composition is measured and expanding the application in the various fields.

With the mission to deliver the utmost reliable and innovative body composition analysis, now InBody introduces next generation of body composition analyzer, InBody970.

The InBody970 is equipped with state-of-the-art 3MHz technology and new ergonomic design to suit diverse patients with different conditions and medical specialties than ever before.





Innovative Design

The World's First 3MHz High-frequency

7 Different Result Sheets for In-depth Analysis

Precise Abdominal Fat Analysis

Smart InBody Measurement

**InBody970**

# InBody970 Highlights

## Innovative Design

The InBody970 delivers a new seamless look with the premise of detail. The screen was designed in a concave shape to protect privacy of the subject's measurement data, but at the same time enhance a clear visibility for the user. Stainless electrodes and robust footplate enhance stability and therefore it can measure up to 300kg.

## The World's First 3MHz High-frequency

As the frequency increases, the more difficult it is to control the frequency in the human body which results in an irregular impedance measurement. InBody technology achieves overcoming this limitation and delivers 3MHz frequency. The 3MHz frequency will penetrate the human cell membranes more effectively and reflect the Intracellular Water better. This enables us to differentiate the Intracellular Water, Extracellular Water which helps us to get a more accurate measurement of the Total Body Water.

## 7 Different Result Sheets for In-depth Analysis

- The Age-Specific Evaluation Result Sheet can be used to evaluate and compare the body composition result by age.
- The Research Result Sheet incorporates frequently used parameters and provides segmental graphs that offer a more comprehensive analysis.
- The Comparison Result Sheet provides a Cole-Cole plot graph and some significant parameters to compare the previous and current result.
- The Visceral Fat Result Sheet can be used to monitor change in subcutaneous and visceral fat.

\* Body Composition Result Sheet, Body Composition Result Sheet for Children, Body Water Result Sheet are also available.


## Smart InBody Measurement

The ID recognition process is quick and easy using InBody BAND, Fingerprint, or Barcode Scanner



# InBody Technology

## Multi-Frequency for In-Depth Analysis




Low frequencies do not pass through the cell membranes well so they mainly reflect ECW, while high frequencies pass through the cell membranes and therefore reflect both ECW and ICW. By using multi-frequencies, InBody measures ECW and ICW separately and measure TBW accurately to check the water balance. As the newest advance, InBody added the world's first 3MHz which enabled to measure many different patients and subjects with special body composition more precisely. Furthermore 3MHz can ensure a stable measurement within the 50~500kHz impedance and this helps us to stabilize the measurements even when there are interferences from the outside

\* ECW: Extracellular Water, ICW: Intracellular Water, TBW: Total Body Water




## High Reproducibility Assured by 8-Point Tactile Electrodes

InBody placed a total of eight electrodes- one current and one voltage electrode on each handle and footplate. With this electrode design, it maintains the measurement starting point at all times. Even if the measurement postures are changed or multiple measurements are made, we are able to maintain high reproducibility. Due to the separated current and voltage electrodes, it minimizes the resistance coming from contacted skins, which enabled more accurate measurements.




## Multi-frequency Reactance Data for Enhanced Clinical Use

Reactance is a resistance that occurs in cell membranes, which is related to the cellular health such as somatic cell mass, structural integrity, and physiological functional level of the cell. Besides 50kHz, InBody improved segmental reactance measurement technology in 5kHz, 250kHz as well. Through this, InBody provides more parameters which can be used in various clinical fields to pre-screen diseases, nutritional status, and evaluate.



## Direct Segmental Measurement-BIA

Each of our body segments is different in length and cross-section area. Arms and legs have a narrow area and long length, so the impedance value is high, but the muscle mass is low. On the other hand, the trunk has a relatively large area, so its impedance value is low and the muscle mass is high. Therefore, a small change in the impedance value in the trunk has a greater impact on the amount of muscle mass, so it must be measured separately in order to measure the total muscle mass accurately.



## No Estimations

In the past, empirical data was used to increase the accuracy of the body composition result. However the measurements showed limitation depending on the experimental groups. InBody overcome these limitations with technology and results are not affected by age, ethnicity, or gender. Reference ranges or scores based on age and gender are used as a basis for evaluating the values determined.



## Body Composition Evaluation by Age Based on InBody Big Data

InBody provides age-specific graphs for each body composition analysis parameter based on globally accumulated InBody Data. With this, a comprehensive analysis is provided so that you can compare your data to the data of the young age group (T-score) and the same age group (Z-score).

# InBody Application



## Rehabilitation

Monitor injury and post-surgical recovery.

Yoshimura, Y., Bise, T., Nagano, F., Shimazu, S., Shiraishi, A., Yamaga, M., & Koga, H. (2018). Systemic inflammation in the recovery stage of stroke: its association with sarcopenia and poor functional rehabilitation outcomes. *Progress in Rehabilitation Medicine*, 3, 20180011.

## Professional Sports

Manage body composition to enhance the performance and minimize risk of injuries.

Almăjan-Guță, B., Rusu, A. M., Nagel, A., & Avram, C. (2015). Injury frequency and body composition of elite Romanian rugby players. *Timisoara Physical Education and Rehabilitation Journal*, 8(15), 17-21.



## Nutrition

Monitor body composition change for nutritional evaluation.

Kim, H.S., Lee, E.S., Lee, Y.J., Jae Ho Lee, C. T.L., & Cho, Y.J. (2015)

*Clinical Application of Bioelectrical Impedance Analysis and its Phase Angle For Nutritional Assessment of Critically Ill Patients. Journal of the Korean Society for Parenteral and Enteral Nutrition*, 7(2), 54-61

## Nephrology

Obtain useful insights on dialysis patients' hydration and nutrition status.

Ando, M., Suminaka, T., Shimada, N., Asano, K., Ono, J. I., Jikuya, K., & Mochizuki, S. (2018). Body water balance in hemodialysis patients reflects nutritional, circulatory, and body fluid status. *Journal of Biorheology*, 32(2), 46-55.



## Geriatric

Monitor muscle mass and muscle imbalance, and to screen sarcopenia, which are related to risks of fall and frailty.

Yoshimura, Y., Wakabayashi, H., Bise, T., & Tanoue, M. (2018). Prevalence of sarcopenia and its association with activities of daily living and dysphagia in convalescent rehabilitation ward inpatients. *Clinical Nutrition*, 37(6), 2022-2028.

## Cardiology

Pre-screen the risk factors of cardiovascular disease.

Thomas, E., Gupta, P. P., Fonarow, G. C., & Horwitz, T. B. (2019). Bioelectrical impedance analysis of body composition and survival in patients with heart failure. *Clinical cardiology*, 42(1), 129-135.

# Validations of More Than 3,000 Research Papers

## **Study 1 HIGH ACCURACY AND REPRODUCIBILITY OF FAT FREE MASS & PERCENT BODY FAT MEASUREMENTS COMPARED WITH DEXA**

The measurement (mean  $\pm$  SD) for FFM with DXA was  $52.8 \pm 11.0$ , and BIA was  $53.6 \pm 11.0$ . Delta (S-MFBIA vs DXA) was  $0.8 \pm 2.2$  (5% limits of agreement  $-3.5$  to  $+5.2$ ), and concordance correlation coefficient (CCC) was  $0.98$  (95% CI,  $0.97$ – $0.98$ ). The measurements (mean  $\pm$  SD) for PBF with DXA was  $37.5 \pm 10.6\%$  and S-MFBIA was  $36.6 \pm 11.3\%$ . Delta (S-MFBIA vs DXA) was  $-0.9 \pm 2.6$  (5% limits of agreement  $6.0$  to  $+4.2$ ), and CCC was  $0.97$  (95% CI,  $0.96$ – $0.98$ ).

Hurt, Ryan T., et al. "The Comparison of Segmental Multifrequency Bioelectrical Impedance Analysis and Dual-Energy X-ray Absorptiometry for Estimating Fat Free Mass and Percentage Body Fat in an Ambulatory Population." *Journal of Parenteral and Enteral Nutrition* (2020).

## **Study 2 HIGH CORRELATION WITH D2O DILUTION METHOD FOR TOTAL BODY WATER**

The study concluded that the BIA device InBodyS10 showed good test-retest precision (%CV = 5.2 raw; 1.1 after outlier removal) and high accuracy to D<sub>2</sub>O for Total Body Water [TBWD<sub>2</sub>O = 0.956 TBWBIA, R<sup>2</sup> = 0.92, root mean squared error(RMSE) = 2.2kg]. %Fat estimates from DXA, ADP, D<sub>2</sub>O, and BIA all showed high correlation with the Lohman model.

Ng, Bennett K., et al. "Validation of rapid 4-component body composition assessment with the use of dual-energy X-ray absorptiometry and bioelectrical impedance analysis." *The American journal of clinical nutrition* 108.4 (2018):708-715.

## **Study 3 HIGH ACCURACY WITH COMPUTED TOMOGRAPHY FOR MUSCLE MASS**


It was suggested that estimating muscle mass using DXA and BIA(InBody720) is a preferred method for diagnosis of sarcopenia in kidney transplant recipients. Both DXA and InBody showed high correlation with CT.

Yanishi, M., et al. "Dual energy X-ray absorptiometry and bioimpedance analysis are clinically useful for measuring muscle mass in kidney transplant recipients with sarcopenia." *Transplantation proceedings*. Vol.50.No.1. Elsevier, 2018.

## **Study 4 HIGH CORRELATION OF FAT FREE MASS BETWEEN DEXA AND INBODY970**

Total of 150 results were analyzed, excluding duplicate data from the same subject. Fat Free Mass measured by InBody970 had a very high correlation with DEXA of r=0.98 or higher. (P value < 0.05)

\* Internal Validation by InBody



\* Total: 150 Male: 74, Female: 76

FFM(kg)	Total		Male		Female	
	Mean $\pm$ SD(range)	Mean $\pm$ SD(range)	Mean $\pm$ SD(range)	Mean $\pm$ SD(range)	Mean $\pm$ SD(range)	Mean $\pm$ SD(range)
DEXA	49.1 $\pm$ 12.9(27.2~80.8)	59.5 $\pm$ 9.2(37.6~80.8)	39.0 $\pm$ 6.4(27.2~57.6)			
InBody970	50.9 $\pm$ 13.6(25.4~86.0)	61.8 $\pm$ 10.1(38.6~86.0)	40.3 $\pm$ 6.3(25.4~57.7)			

# Body Composition Result Sheet

## InBody

[InBody970] [Yscope]

ID	Height	Age	Gender	Test Date / Time
John Doe	156.9cm	51	Female	2021.03.31. 15:44

## InBody

www.inbody.com

### 1 Body Composition Analysis

	Values	Total Body Water(L)	Soft Lean Mass	Fat Free Mass	Weight
Total Body Water(L)	27.4 (26.4 ~ 32.2)	27.4	34.9 (33.8 ~ 41.4)	37.1 (35.8 ~ 43.8)	59.1 (43.9 ~ 59.5)
Protein (kg)	7.1 (7.0 ~ 8.6)				
Minerals (kg)	2.64 (2.44 ~ 2.98)				
Body Fat Mass (kg)	22.0 (10.3 ~ 16.5)				

### 2 Muscle-Fat Analysis

	Under	Normal	Over	
Weight (kg)	55 70 85 100 115 130 145 160 175 190 205 %	59.1		
SMM Skeletal Muscle Mass (kg)	70 80 90 100 110 120 130 140 150 160 170 %	19.5		
Body Fat Mass (kg)	40 60 80 100 160 220 280 340 400 460 520 %	22.0		

### 3 Obesity Analysis

	Under	Normal	Over	
BMI Body Mass Index (kg/m <sup>2</sup> )	10.0 15.0 18.5 22.0 25.0 30.0 35.0 40.0 45.0 50.0 55.0	24.0		
PBF Percent Body Fat (%)	8.0 13.0 18.0 23.0 28.0 33.0 38.0 43.0 48.0 53.0 58.0	37.2		


### 4 Segmental Lean Analysis

	Based on ideal weight										Based on current weight									
	Under	Normal	Over	ECW Ratio										0.378	0.378	0.398	0.403	0.404		
Right Arm (kg) (%)	55 70 85 100 115 130 145 160 175 %	2.00	101.2																	
Left Arm (kg) (%)	55 70 85 100 115 130 145 160 175 %	1.91	97.1																	
Trunk (kg) (%)	70 80 90 100 110 120 130 140 150 %	17.7	99.0																	
Right Leg (kg) (%)	70 80 90 100 110 120 130 140 150 %	5.24	84.2																	
Left Leg (kg) (%)	70 80 90 100 110 120 130 140 150 %	5.15	82.7																	

### 5 ECW Ratio Analysis

	Under	Normal	Over	
ECW Ratio	0.320 0.340 0.360 0.380 0.390 0.400 0.410 0.420 0.430 0.440 0.450	0.398		

### 6 Body Composition History




### 7 InBody Score

67 / 100 Points

\* Total score that reflects the evaluation of body composition. A muscular person may score over 100 points.

### 8 Visceral Fat Area

VFA(cm<sup>2</sup>)



### 9 Weight Control

Target Weight	51.7 kg
Weight Control	-7.4 kg
Fat Control	- 10.1 kg
Muscle Control	+ 2.7 kg

### 10 Research Parameters

Intracellular Water	16.5 L	(16.3~19.9)
Extracellular Water	10.9 L	(10.0~12.2)
Basal Metabolic Rate	1171 kcal	(1255~1451)
Waist-Hip Ratio	0.94	(0.75~0.85)
Body Cell Mass	23.6 kg	(23.4~28.6)
SMI	5.8 kg/m <sup>2</sup>	


### 11 Whole Body Phase Angle

$\phi$ (°) 50 kHz | 4.0°

### 12 Segmental Body Phase Angle

$\phi$ (°)	RA	LA	TR	RL	LL
5 kHz	1.7	4.7	1.7	1.6	4.5
50 kHz	4.1	5.7	4.0	3.8	4.3
250 kHz	3.8	5.6	2.9	2.9	2.9

### 13 Impedance



# Result Sheet Interpretation

## 1 Body Composition Analysis

Body weight is the sum of Total Body Water, Protein, Minerals, and Body Fat Mass. Maintain a balanced body composition to stay healthy.

## 2 Muscle-Fat Analysis

The balance between Skeletal Muscle Mass and Body Fat Mass is a key health indicator. Muscle-Fat Analysis shows this balance by comparing the length of the bars for Weight, Skeletal Muscle Mass, and Body Fat Mass.

## 3 Obesity Analysis

Accurate obesity analysis cannot be performed using BMI, but the ratio of body fat compared to the weight, which is called the Percent Body Fat, must be assessed. The InBody970 can detect hidden health risks like Sarcopenic Obesity, in which a person appears slim on the outside but has a high percent body fat.

## 4 Segmental Lean Analysis

Analyzing the lean mass in each segment helps identify imbalances and insufficiently developed lean mass, which can be used to develop targeted exercise programs. The lean mass of the arms, trunk, and legs are represented by two bars-. The top bar shows how much lean mass there is in a segment compared to the ideal weight, and the bottom bar shows how sufficient the lean mass is to support your current weight.

## 5 ECW Ratio Analysis

The extracellular water ratio shows the a balance status of body water. The ratio between intra/extracellular water remains constant at 3:2 ratio in health case, and when this balance is broken down edema may occur. In addition, segmental extracellular water can be used as a diagnostic indicator for edema, circulation or nutritional problems

## 6 Body Composition History

Using Body Composition History, you can monitor changes in Weight, Skeletal Muscle Mass, Percent Body Fat, and ECW ratio. Taking regular InBody Tests and monitoring changes in body composition is a good step toward a healthier life.

## 7 InBody Score

Unique index created by InBody to make it easier to understand the current body composition status. The standard range is between 70~90 points, and based on the weight control, the point +,- from 80 points.

## 8 Visceral Fat Area

Visceral Fat Area is the estimated area of the fat surrounding internal organs in the abdomen. Maintain a Visceral Fat Area under 100cm<sup>2</sup> to minimize the risk of visceral fat related diseases. With Y-Scope, the InBody970 provides more precise abdominal fat analysis by measuring abdominal impedance separately.

## 9 Weight Control

Shows the recommended weight, fat and muscle mass for a healthy body. The '+' means to gain and the '-' means to lose. Use the weight control to set your own goal.

## 10 Research Parameters

Various research parameters are provided such as Basal Metabolic Rate, Waist-Hip Ratio, Obesity Degree, Skeletal Muscle Mass Index (SMI), Body Cell Mass, and more.

## 11 Whole Body Phase Angle

Phase Angle is related to the health status of the cell membrane. Strengthening of the cellular membrane and structural function will increase the phase angle, while damage or a decrease in function will result in a decrease in the Phase Angle.

## 12 Segmental Body Phase Angle

Segmental Phase Angle indicates the Phase Angle of each part of the body, representing the level of structural integrity and function of the cell membrane.

## 13 Impedance

Impedance is the resistance that occurs when weak alternating current is applied to the human body.

# Body Water Result Sheet

## InBody Body Water


[InBody970] [Yscope]

ID	Height	Age	Gender	Test Date / Time
John Doe	156.9cm	51	Female	2021.03.31. 15:44


**InBody**

www.inbody.com


### Body Water Composition




### ECW Ratio Analysis




### Segmental Body Water Analysis



### Segmental ECW Ratio Analysis



### Body Water Composition History



Recent  Total

### Body Composition Analysis

Protein	7.1 kg	( 7.0 ~ 8.6 )
Minerals	2.64 kg	( 2.44 ~ 2.98 )
Body Fat Mass	22.0 kg	( 10.3 ~ 16.5 )
Fat Free Mass	37.1 kg	( 35.8 ~ 43.8 )
Bone Mineral Content	2.18 kg	( 2.01 ~ 2.45 )

### Muscle-Fat Analysis

Weight	59.1 kg	( 43.9 ~ 59.5 )
Skeletal Muscle Mass	19.5 kg	( 19.5 ~ 23.9 )
Soft Lean Mass	34.9 kg	( 33.8 ~ 41.4 )
Body Fat Mass	22.0 kg	( 10.3 ~ 16.5 )


### Whole Body Phase Angle

$\phi$  (°) 50 kHz | 4.0°


### Segmental Body Phase Angle

$\phi$ (°)	RA	LA	TR	RL	LL
5 kHz	1.7	4.7	1.7	1.6	4.5
50 kHz	4.1	5.7	4.0	3.8	4.3
250 kHz	3.8	5.6	2.9	2.9	2.9

### Bioelectrical Impedance Vector Analysis



### Impedance



# Age-Specific Evaluation Result Sheet

## InBody Age-Specific Evaluation

[InBody970] [Yscope]

ID	Height	Age	Gender	Test Date / Time
John Doe	156.9cm	51	Female	2021.03.31. 15:44


**InBody**

www.inbody.com

### Muscle · Nutrition Evaluation

#### Skeletal Muscle mass Index

SMI( $\text{kg}/\text{m}^2$ )



Chen et al. JAMDA 2020;21(3):300-307


Ref. values from InBody

SMI( $\text{kg}/\text{m}^2$ )	Young adults (T-score)	Age-matched (Z-score)
5.8	-0.5	-1.0

### Body Water Evaluation

#### Whole Body ECW Ratio

ECW/TBW




Ref. values from InBody

ECW/TBW	Young adults (T-score)	Age-matched (Z-score)
0.398	3.3	2.9

### Visceral Fat Area Evaluation

#### Visceral Fat Area

VFA( $\text{cm}^2$ )




VFA( $\text{cm}^2$ )

116.8


### InBody Big Data

Based on 13 million InBody Big Data, InBody provides average and standard deviation graphs for each result parameters according to age. Using InBody Big Data, the InBody970 provides comparative evaluation in different or in same age group that can be used for objective body composition analysis.



Skeletal Muscle Mass (SMM, kg)

SMM(kg)



\* InBody Big Data is used for the evaluation by age which is shown as T-Score and Z-score that indicate the relative position of subject. It does not affect the subjects' body composition analysis result.

\* Depending on the country, the graph will be set differently.

# Research Result Sheet

## InBody Research

[InBody970] [Yscope]

ID	Height	Age	Gender	Test Date / Time
John Doe	156.9cm	51	Female	2021.03.31. 15:44

**InBody**


www.inbody.com

### Body Composition Summary

	FFM	FM	ICW	ECW	TBW	ECW/TBW
Right Arm	2.00 kg	1.6 kg	0.96 L	0.59 L	1.55 L	0.378
Left Arm	1.91 kg	1.6 kg	0.93 L	0.56 L	1.49 L	0.378
Trunk	17.7 kg	11.8kg	8.3 L	5.5 L	13.8 L	0.398
Right Leg	5.24 kg	3.0 kg	2.46 L	1.66 L	4.12 L	0.403
Left Leg	5.15 kg	3.0 kg	2.41 L	1.64 L	4.05 L	0.404
Whole Body	37.1 kg	22.0 kg	16.5 L	10.9 L	27.4 L	0.398
Weight		59.1 kg				

\* The difference between the whole body values and sum of segmental values are from the craniocervical region.

### Body Composition Analysis



### Research Parameters

Body Mass Index	24.0 kg/m <sup>2</sup> (18.5~25.0)
Percent Body Fat	37.2 % (18.0~28.0)
Skeletal Muscle Mass	19.5 kg (19.5~23.9)
Soft Lean Mass	34.9 kg (33.8~41.4)
Protein	7.1 kg (7.0~8.6)
Mineral	2.64 kg (2.44~2.98)
Bone Mineral Content	2.18 kg (2.01~2.45)
Basal Metabolic Rate	1171 kcal (1255~1451)
Waist Hip Ratio	0.94 (0.75~0.85)
Waist Circumference	85.0 cm
Visceral Fat Area	116.8 cm <sup>2</sup>
Obesity Degree	114 % (90~110)
Body Cell Mass	23.6 kg (23.4~28.6)
Arm Circumference	30.5 cm
Arm Muscle Circumference	26.0 cm
TBW/FFM	73.7 %
Fat Free Mass Index	15.1 kg/m <sup>2</sup>
Fat Mass Index	8.9 kg/m <sup>2</sup>
Skeletal Muscle mass Index	5.8 kg/m <sup>2</sup>


### Whole Body Phase Angle

Proximal  
 $\phi$ (°) 50 kHz | 4.0°

### Segmental Body Phase Angle

Proximal	RA	LA	TR	RL	LL
$\phi$ (°) 5 kHz	1.7	4.7	1.7	1.6	4.5
50 kHz	4.1	5.7	4.0	3.8	4.3
250 kHz	3.8	5.6	2.9	2.9	2.9

### Impedance



# Comparison Result Sheet

## InBody Comparison [InBody970] [Yscope]


ID	Height	Age	Gender	Test Date / Time
John Doe	156.9cm	51	Female	2021.03.31. 15:44

**InBody**



[www.inbody.com](http://www.inbody.com)

— Standard median curve    ● Today's Results    □ Recent Results  
(2021.03.20 15:12)



Whole Body		Today	Recent	Difference
Weight	(kg)	59.1	60.5	-1.4
SMM	(kg)	19.5	19.8	-0.3
Skeletal Muscle Mass				
Body Fat Mass	(kg)	22.0	22.8	-0.8
ECW Ratio		0.398	0.398	0.000
Phase Angle	(°)	4.0	4.1	-0.1




Right Arm		Today	Recent	Difference
Lean Mass	(kg)	2.00	2.06	-0.06
ECW Ratio		0.378	0.378	0.000
Phase Angle	(°)	4.1	4.3	-0.2
Left Arm		Today	Recent	Difference
Lean Mass	(kg)	1.91	1.98	-0.07
ECW Ratio		0.378	0.377	+0.001
Phase Angle	(°)	5.7	5.7	0.0



Right Leg		Today	Recent	Difference
Lean Mass	(kg)	5.24	5.35	-0.11
ECW Ratio		0.403	0.403	0.000
Phase Angle	(°)	3.8	3.8	0.0
Left Leg		Today	Recent	Difference
Lean Mass	(kg)	5.15	5.26	-0.11
ECW Ratio		0.404	0.405	-0.001
Phase Angle	(°)	4.3	4.3	0.0



Trunk		Today	Recent	Difference
Lean Mass	(kg)	17.7	18.0	-0.3
ECW Ratio		0.398	0.399	-0.00
Phase Angle	(°)	4.0	4.1	-0.1



# Yscope

Portable BIA abdominal fat analyzer

Abdominal Impedance



Abdominal Circumference



## Radiation-free and Safe for Regular Measurement

Yscope provides comprehensive abdominal fat analysis, including visceral fat and subcutaneous fat using the same technology behind the professional InBody devices - Bioelectrical Impedance Analysis (BIA). It is a non-invasive, radiation-free solution in regular monitoring and managing of abdominal fat.




## Specialized Abdominal Fat Analysis

Besides fat analysis from InBody, Yscope provides in-depth results in abdominal fat for more accurate results.

The results provided by the Yscope are visceral fat and subcutaneous fat, which have been found with high correlation to CT scans.

## Easy and Quick Measurement

Yscope is the portable abdominal fat analyzer that can be integrated with the InBody970. In approximately 10 seconds, the Yscope provides a quick and easy solution in assessing essential abdominal parameters.



# Visceral Fat Result Sheet

## InBody Visceral Fat

[InBody970] [Y scope]

ID	Height	Age	Gender	Test Date / Time
John Doe	156.9cm	51	Female	2021.03.31. 15:44

### Body Fat Composition

	Values	Abdominal Fat Mass	Trunk Fat Mass	Body Fat Mass	Weight
Subcutaneous Fat(kg)	1.58 (0.90 ~ 1.81)	2.64 (1.35 ~ 2.71)	11.8 ( 3.9 ~ 7.8 )	22.0 (10.3 ~ 16.5)	59.1 (43.9 ~ 59.5)
Visceral Fat (kg)	1.06 (0.45 ~ 0.90)				
Arms/Legs Fat (kg)	9.1 ( 4.9 ~ 9.9 )				
Fat Free Mass (kg)	37.1 (35.8 ~ 43.8)				

\* The difference between the whole body values and sum of segmental values are from the craniocervical region.

### Body Fat Analysis

	Under		Normal		Over		%
	55	70	85	100	115	130	
Weight (kg)					59.1		
Body Fat Mass (kg)	40	60	80	100	160	220	22.0
BMI (kg/m <sup>2</sup> ) Body Mass Index	10.0	15.0	18.5	22.0	25.0	30.0	24.0
PBF (%) Percent Body Fat	8.0	13.0	18.0	23.0	28.0	33.0	37.2

### Abdominal Fat Analysis

	Under		Normal		Over		%
	40.0	60.0	80.0	100.0	160.0	220.0	
Abdominal Fat (kg)					2.64		
Subcutaneous Fat (kg)	40.0	60.0	80.0	100.0	160.0	220.0	1.58
Visceral Fat (kg)	40.0	60.0	80.0	100.0	160.0	220.0	1.06

### Abdominal Obesity Analysis

	Under		Normal		Over		%
	0.65	0.70	0.75	0.80	0.85	0.90	
Waist-Hip Ratio					0.94		
Subcutaneous Fat Obese						Visceral Fat Obese	
V/S Ratio Visceral/Subcutaneous Fat Ratio	0.10	0.20	0.30	0.40	0.50	0.60	0.70

0.67


### Body Fat History

Weight (kg)	65.3	63.9	62.4	61.8	62.3	60.9	60.5	59.1
Body Fat Mass (kg)	27.0	26.0	24.5	24.1	24.5	23.5	22.9	22.0
Abdominal Fat (kg)	3.24	3.12	2.94	2.89	2.95	2.82	2.75	2.64
Subcutaneous Fat(kg)	1.94	1.87	1.76	1.73	1.76	1.69	1.64	1.58
Visceral Fat (kg)	1.30	1.25	1.18	1.16	1.18	1.13	1.10	1.06
Recent	20.07.21 15:11	20.08.27 14:58	20.09.20 15:02	20.11.23 15:23	20.12.21 15:00	21.02.19 14:52	21.03.20 15:12	21.03.31 15:44
Total								


InBody

www.inbody.com

### Subcutaneous Fat Area




### Visceral Fat Area



### Research Parameters

Waist Circumference	85.0 cm
Obesity Degree	114 % ( 90~110 )
Waist-Height Ratio	0.54 ( 0.51 Under )
Body Adiposity Index	28.1 ( 26.9 Under )
ABSI	0.081 ( 0.076 Under )
Conicity Index	1.27 ( 1.25 Under )
Basal Metabolic Rate	1171 kcal ( 1255~1451 )
ECW Ratio	0.398 ( 0.360~0.400 )
SMI	5.8 kg/m <sup>2</sup>
FMI	8.9 kg/m <sup>2</sup>
Lean Mass/Visceral Fat Area	0.17 kg/m <sup>2</sup> ( 0.15 Over )

### Impedance



# Body Composition Result Sheet for Children

**InBody**

[InBody970]

ID	Height	Age	Gender	Test Date / Time
Jocob	139.4cm	10	Male	2021.03.31. 16:40


**InBody**

www.inbody.com


## Body Composition Analysis

Total amount of water in my body	<b>Total Body Water</b>	(L)	19.1 ( 18.0 ~ 22.0 )
What I need to build muscles	<b>Protein</b>	(kg)	5.1 ( 4.9 ~ 5.9 )
What I need for strong bones	<b>Mineral</b>	(kg)	1.91 ( 1.66 ~ 2.04 )
Where my excess energy is stored	<b>Body Fat Mass</b>	(kg)	8.9 ( 3.8 ~ 7.7 )
Sum of the above	<b>Weight</b>	(kg)	35.0 ( 27.3 ~ 36.9 )


## Muscle-Fat Analysis



## Obesity Analysis



## Growth Graph



## Body Composition History

<b>Height</b> (cm)	134.5	135.2	136.4	137.2	137.9	138.5	139.0	139.4
<b>Weight</b> (kg)	30.8	31.3	32.0	32.8	33.5	34.0	34.4	35.0
<b>SMM</b> (kg) Skeletal Muscle Mass	12.5	12.7	12.8	13.0	13.1	13.1	13.2	13.3
<b>PBF</b> (%) Percent Body Fat	20.4	20.7	21.6	22.3	23.1	24.3	25.1	25.6
<input checked="" type="checkbox"/> Recent <input type="checkbox"/> Total	19.07.15 14:22	19.11.19 09:30	20.01.29 15:18	20.03.15 11:00	20.06.21 15:00	20.09.19 14:52	20.12.20 15:12	21.03.31 16:40

## Growth Score

85 / 100 Points

\* If tall and within great body comparison standards, the growth score may surpass 100 points.

## Nutrition Evaluation

Protein	<input checked="" type="checkbox"/> Normal	<input type="checkbox"/> Deficient
Minerals	<input checked="" type="checkbox"/> Normal	<input type="checkbox"/> Deficient
Body Fat	<input type="checkbox"/> Normal	<input type="checkbox"/> Deficient

## Obesity Evaluation

BMI	<input checked="" type="checkbox"/> Normal	<input type="checkbox"/> Under	<input type="checkbox"/> Slightly Over	<input type="checkbox"/> Over
PBF	<input type="checkbox"/> Normal	<input type="checkbox"/> Slightly Over	<input checked="" type="checkbox"/> Over	

## Body Balance Evaluation

Upper	<input checked="" type="checkbox"/> Balanced	<input type="checkbox"/> Slightly Unbalanced	<input type="checkbox"/> Unbalanced
Lower	<input checked="" type="checkbox"/> Balanced	<input type="checkbox"/> Slightly Unbalanced	<input type="checkbox"/> Extremely Unbalanced
Upper-Lower	<input checked="" type="checkbox"/> Balanced	<input type="checkbox"/> Slightly Unbalanced	<input type="checkbox"/> Extremely Unbalanced

## Segmental Lean Analysis

Right Arm	0.95 kg
Left Arm	0.94 kg
Trunk	10.8 kg
Right Leg	3.41 kg
Left Leg	3.37 kg

## Research Parameters

Basal Metabolic Rate	933 kcal ( 948 ~ 1077 )
Child Obesity Degree	109 % ( 90 ~ 110 )


## Whole Body Phase Angle

$\phi$ (°) 50 kHz | 4.3°

## Segmental Body Phase Angle

	RA	LA	TR	RL	LL
$\phi$ (°) 5 kHz	1.4	1.4	3.0	1.9	1.8
50 kHz	3.6	3.3	6.8	5.0	4.8
250 kHz	3.7	3.6	9.4	5.0	4.9

## Impedance



# InBody Health Check-up



1  
STEP

## Blood Pressure Test

Start measuring blood pressure with BPBIO, and the test result will automatically be transferred to InBody device.



2  
STEP

## Stadiometer Test

Measure your height with BSM. To get precise InBody Test, accurate height measurement is needed.



3  
STEP

## Yscope Test

Pull the lever to get the impedance, and roll the wheel to measure the circumference.



4  
STEP

## Member Identification

Identify Members with InBody BAND, Fingerprint or Barcode Scanner



5  
STEP

## InBody Test

Take the InBody Test by stepping on the footplate and grabbing the handles.



6  
STEP


## Get Your Result

Get a comprehensive test result in one page and consult with professionals.



# Specifications

## InBody970 BODY COMPOSITION ANALYZER



Bioelectric Impedance Analysis (BIA) Measurement Item	Bioelectrical Impedance(Z)	40 Impedance Measurements by Using 8 Different Frequencies (1kHz, 5kHz, 50kHz, 250kHz, 500kHz, 1MHz, 2MHz, 3MHz) at Each of 5 Segments (Right Arm, Left Arm, Trunk, Right Leg and Left Leg)
Phase Angle	15 Phase Angle Measurements by Using 3 Different Frequencies (5kHz, 50kHz, 250kHz) at Each of 5 Segments (Right Arm, Left Arm, Trunk, Right Leg, and Left Leg)	
Electrode Method	Tetrapolar 8-Point Tactile Electrodes	
Measurement Method	Direct Segmental Multi-Frequency Bioelectrical Impedance Analysis (DSM-BIA) Simultaneous Multi-Frequency Bioelectrical Impedance Analysis (SMF-BIA)	
Body Composition Calculation Method	No Empirical Estimation (Age and Gender does not affect the result)	
Compatible Device	BSM Series (BSM170B, BSM370, BSM270B), BPBIO Series (BPBIO320, BPBIO750), Yscope, and InBodyBAND Series	
Logo Display	Name, Address and Content Information can be shown on the Results Sheet.	
Digital Results	LCD Screen, LookinBody Web, LookinBody120	
Type of Result Sheets	Body Composition Result Sheet, Body Water Result Sheet, Age-Specific Result Sheet, Research Result Sheet, Comparison Result Sheet, Result Sheet for Children, Visceral Fat Result Sheet	
Voice Guidance	Audible guidance for test in progress and test complete	
Data Storage	Saves up to 100,000 measurements (When ID is entered)	
Administrator Menu	Setup: Configure settings and manage data Troubleshooting: Additional information to help use the InBody970	
InBody USB	Copy, backup, or restore the Lookinbody test data (data can be viewed on Excel or LookinBody120	
Barcode Reader	Member ID will be automatically inputted when the Barcode is scanned	
InBodyBAND Series Recognition Function	Recognizes the InBodyBAND series of the subject and automatically inputs personal information to the InBody970	
Fingerprint Recognition Function	Recognizes the fingerprint of the measurer and automatically inputs personal information to the InBody970	
Backup data	Backup data saved in InBody970 by using an InBody USB	
QR Code	See your result on InBody mobile App	
Applied Rating Current	1kHz : 70uA (+10uA), Over 5kHz : 300uA (+30uA)	
Adapter	Bridgepower (BPM040S12F07) Mean Well (GSM40A12-P1IR)	Power Input AC 100-240V, 50-60Hz, 1.2A (1.2A-0.6A) Power Output DC 12V, 3.4A Power Input AC 100-240V, 50-60Hz, 1.0-0.5A Power Output DC 12V, 3.34A
Display Type	1280 x 800 10.1inch Color TFT LCD	
Internal Interface	Touchscreen, Keypad	
External Interface	RS-232C 4EA, USB Host 2EA, USB Slave 1EA, LAN(10/100T) 1EA, Bluetooth 1EA, Wi-Fi 1EA	
Compatible Printer	BWA compatible printers available at <a href="http://www.inbodyservice.com">www.inbodyservice.com</a>	
Dimensions	614.1(W) x 963.8(L) x 1239.3(H): mm	
Equipment Weight	46kg (101.4lb)	
Test Duration	About 70 seconds	
Operation Environment	10~40°C (50~104°F), 30~75% RH, 70~106kPa	
Storage Environment	-10~70°C (14~158°F), 10~80% RH, 50~106kPa (No Condensation)	
Weight Range	5~300kg (11~660.1lb)	
Age Range	3~99 years	
Height Range	95~220cm (3ft 1.40in ~ 7ft 2.61in)	

Body Composition Result Sheet	<p>Result parameters and Result interpretation</p> <ul style="list-style-type: none"> <li>Body Composition Analysis (Total Body Water, Protein, Mineral, Body Fat Mass, Weight)</li> <li>Muscle-Fat Analysis (Weight, Skeletal Muscle Mass, Body Fat Mass)</li> <li>Obesity Analysis (Body Mass Index, Percent Body Fat)</li> <li>Segmental Lean Analysis (Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Segmental Fat Analysis (Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Segmental ICW Analysis (Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Segmental ECW Analysis (Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>ECW Ratio Analysis (ECW Ratio)</li> <li>Segmental ECW Ratio</li> <li>Body Composition History (Weight, Skeletal Muscle Mass, Percent Body Fat, ECW Ratio)</li> <li>InBody Score</li> <li>Visceral Fat Area (Graph)</li> <li>Weight Control (Target Weight, Weight Control, Fat Control, Muscle Control)</li> <li>Body Type (Graph)</li> </ul>	<ul style="list-style-type: none"> <li>Nutrition Evaluation (Protein, Minerals, Fat Mass)</li> <li>Obesity Evaluation (BMI, Percent Body Fat)</li> <li>Body Balance Evaluation (Upper, Lower, Upper-Lower)</li> <li>Waist-Hip Ratio (Graph)</li> <li>Visceral Fat Level (Graph)</li> <li>Research Parameters (Extracellular Water, Intracellular Water, Skeletal Muscle Mass, Fat Free Mass, Basal Metabolic Rate, Waist-Hip Ratio, Visceral Fat Level, Visceral Fat Area, Obesity Degree, Bone Mineral Content, Body Cell Mass, Arm Circumference, FMI, FFM, SMI, Recommended Calorie Intake, Calorie Expenditure of Exercise, InBody Score)</li> <li>Blood Pressure (Max/Min/Pulse Rate, Avg/Pulse pressure/R.P.P)</li> <li>Result Interpretation QR Code</li> <li>QR Code</li> <li>Segmental Body Phase Angle (5kHz, 50kHz, 250kHz: Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Whole Body Phase Angle (50kHz)</li> <li>Impedance Graph (Each segment and each frequency)</li> </ul>
Body Composition Result Sheet for Children	<p>Result parameters and Result interpretation</p> <ul style="list-style-type: none"> <li>Body Composition Analysis (Total Body Water, Protein, Mineral, Body Fat Mass, Fat Free Mass, Soft Lean Mass, Weight)</li> <li>Muscle-Fat Analysis (Weight, Skeletal Muscle Mass, Body Fat Mass)</li> <li>Obesity Analysis (Body Mass Index, Percent Body Fat)</li> <li>Growth Graph (Height, Weight, BMI)</li> <li>Growth Score</li> <li>Body Composition History (Height, Weight, Skeletal Muscle Mass, Percent Body Fat)</li> <li>Nutrition Evaluation (Protein, Minerals, Fat Mass)</li> <li>Obesity Evaluation (BMI, Percent Body Fat)</li> <li>Body Balance (Upper, Lower, Upper-Lower)</li> <li>Segmental Lean Analysis (Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> </ul>	<ul style="list-style-type: none"> <li>Segmental Body Water Analysis (Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Research Parameters (Intracellular Water, Extracellular Water, Basal Metabolic Rate, Child Obesity Degree, Bone Mineral Content, Body Cell Mass, FMI, FFM)</li> <li>Blood Pressure (Max/Min/Pulse Rate, Avg/Pulse pressure/R.P.P)</li> <li>Result Interpretation QR Code</li> <li>QR Code</li> <li>Segmental Body Phase Angle (5kHz, 50kHz, 250kHz: Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Whole Body Phase Angle (50kHz)</li> <li>Impedance Graph (Each segment and each frequency)</li> </ul>
Body Water Result Sheet	<p>Result parameters and Result interpretation</p> <ul style="list-style-type: none"> <li>Body Water Composition (Total Body Water, Intracellular Water, Extracellular Water)</li> <li>ECW Ratio Analysis (ECW Ratio)</li> <li>Segmental Body Water Analysis (Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Body Composition Analysis (Protein, Minerals, Body Fat Mass, Fat Free Mass, Bone Mineral Content)</li> <li>Segmental ECW Analysis (Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Body Water Composition History (Weight, Total Body, Intracellular Water, Extracellular Water, Extracellular Water Ratio)</li> </ul>	<ul style="list-style-type: none"> <li>Muscle-Fat Analysis (Weight, Skeletal Muscle Mass, Soft Lean Mass, Body Fat Mass)</li> <li>Obesity Evaluation (BMI, Percent Body Fat)</li> <li>Research Parameters (Fat Free Mass, Basal Metabolic Rate, Waist-Hip Ratio, Visceral Fat Area, Obesity Degree, Body Cell Mass, Arm Circumference, Arm Muscle Circumference, TBW/FFM, FMI, FFM, SMI)</li> <li>Blood Pressure (Max/Min/Pulse Rate, Avg/Pulse pressure/R.P.P)</li> <li>Result Interpretation QR Code</li> <li>QR Code</li> <li>Segmental Body Phase Angle (5kHz, 50kHz, 250kHz: Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Whole Body Phase Angle (50kHz)</li> <li>Impedance Graph (Each segment and each frequency)</li> </ul>
Age-Specific Result Sheet	<ul style="list-style-type: none"> <li>Skeletal Muscle Mass Index (T-Score, Z-Score)</li> <li>Whole Body ECW Ratio (T-Score, Z-Score)</li> </ul>	<ul style="list-style-type: none"> <li>Visceral Fat Area (T-Score, Z-Score)</li> <li>BMI (T-Score, Z-Score)</li> </ul>
Comparison Result Sheet	<ul style="list-style-type: none"> <li>Weight, Skeletal Muscle Mass, Body Fat Mass, ECW Ratio, Phase Angle: Whole Body (Current Result, Previous Result, Current-Previous Result difference)</li> <li>Blood Pressure (Max/Min/Pulse Rate, Avg/Pulse pressure/R.P.P)</li> <li>Lean Mass, ECW Ratio, Phase Angle: Right Arm, Left Arm, Trunk, Right Leg, Left Leg (Current Result, Previous Result, Current-Previous Result difference)</li> </ul>	<ul style="list-style-type: none"> <li>Lean Mass, ECW Ratio, Phase Angle: Right Arm, Left Arm, Trunk, Right Leg, Left Leg (Current Result, Previous Result, Current-Previous Result difference)</li> </ul>
Research Result Sheet	<ul style="list-style-type: none"> <li>Body Composition Summary (Fat Free Mass, Body Fat Mass, Intracellular Water, Extracellular Water, Body Water, ECW Ratio, Weight)</li> <li>Research Parameters (BMI, Percent Body Fat, Percent Abdominal Fat, Visceral Fat Area, Obesity Degree, Waist Circumference, FMI, Skeletal Muscle Mass, FFM, SMI, Protein, Body Cell Mass, Mineral, Bone Mineral Content, Basal Metabolic Rate, Arm Circumference, Arm Muscle Circumference, TBW/FFM)</li> <li>Segmental Body Phase Angle (5kHz, 50kHz, 250kHz: Right Arm, Left Arm, Trunk, Right Leg, Left Leg)</li> <li>Whole Body Phase Angle (50kHz)</li> <li>Impedance Graph (Each segment and each frequency)</li> </ul>	
Visceral Fat Result Sheet	<ul style="list-style-type: none"> <li>Body Fat Composition (Subcutaneous Fat, Visceral Fat, Abdominal Fat Mass, Arm/Leg Fat, Fat Free Mass, Trunk Fat Mass, Body Fat Mass, Weight)</li> <li>Body Fat Analysis (Weight, Body Fat Mass, BMI, Percent Body Fat)</li> <li>Abdominal Fat Analysis (Abdominal Fat Mass, Subcutaneous Fat Mass, Visceral Fat Mass)</li> <li>Abdominal Obesity Analysis (Waist-Hip Ratio, Visceral/Subcutaneous Fat Ratio)</li> <li>Visceral/Subcutaneous Fat Area Ratio</li> <li>Subcutaneous Fat Area</li> </ul>	<ul style="list-style-type: none"> <li>Visceral Fat Area</li> <li>Body Fat Change (Weight, Body Fat Mass, Abdominal Fat Mass, Subcutaneous Fat Mass, Visceral Fat Mass)</li> <li>Research Parameters (Waist Circumference, Obesity Degree, Waist/Height Ratio, Body Adiposity Index, ABSI, Conicity Index, Basal Metabolic Rate, ECW Ratio, SMI, FMI, Lean Mass/Visceral Fat Area)</li> <li>Impedance Graph (Each segment and each frequency)</li> </ul>

## Yscope ABDOMINAL FAT ANALYZER

Yscope	Charging Cradle
Dimensions	Yscope (126.7(W) x 63.5(H) x 269.3(D): mm) Charging Cradle (260(W) x 260(L) x 790(H): mm)
Equipment Weight	Yscope 0.3kg(0.7lb), Charging Cradle 2.5kg(5.5lb)
Test Duration	About 5 seconds
Operation Environment	10~40°C (50~104°F), 30~75% RH, 70~106kPa
Storage Environment	-10~70°C (14~158°F), 10~80% RH, 50~106kPa (No Condensation)
Age Range	For Adults

Bioelectrical Impedance Analysis (BIA)	Bioelectrical Impedance(Z)	Trunk Impedance Measurement at 50kHz, 250kHz
Electrode Method	Biopolar 4-point Tactile Electrodes	
Measurement Method	Direct-Segmental Multi-Frequency Bioelectrical Impedance Analysis (DSM-BIA) Simultaneous Multi-Frequency Bioelectrical Impedance Analysis (SMF-BIA)	
Body Composition Calculation Method	No Empirical Estimation (Age and Gender does not affect the result)	
Measurement Results	Visceral Fat Area, Subcutaneous Fat Area	
Applied Rating Current	350uA	
Rated Power	DC 3.63V, 2600mAh (Lithium ion battery)	
Charging Voltage	DC 5.0V	
Display	OLED	
Color	White	
Dimensions	Yscope (126.7(W) x 63.5(H) x 269.3(D): mm) Charging Cradle (260(W) x 260(L) x 790(H): mm)	
Equipment Weight	Yscope 0.3kg(0.7lb), Charging Cradle 2.5kg(5.5lb)	
Test Duration	About 5 seconds	
Operation Environment	10~40°C (50~104°F), 30~75% RH, 70~106kPa	
Storage Environment	-10~70°C (14~158°F), 10~80% RH, 50~106kPa (No Condensation)	
Age Range	For Adults	

\* Specifications may change without prior notice.  
\* QR Code is a registered trademark of DENSO WAVE Co., Ltd.